

AquaForest Top (15246Y)



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		4
Se	0.00 µg/l	0 µg/l	-0.10		4
Cd	0.00 µg/l	0 µg/l	-0.10		4
Sn	0.00 µg/l	0 µg/l	-0.10		4
Sb	0.00 µg/l	0 µg/l	-0.10		4
As	0.00 µg/l	0 µg/l	-0.10		4
Al	0.00 µg/l	2.00 µg/l	-2.00		4
Pb	0.00 µg/l	0 µg/l	-0.10		4
Ti	0.00 µg/l	0 µg/l	-0.10		4
Cu	0.00 µg/l	0 µg/l	-0.10		4
La	0.00 µg/l	0 µg/l	-0.10		4
Sc	0.00 µg/l	0 µg/l	-0.10		4
W	0.00 µg/l	0 µg/l	-0.10		4




Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	11070.00 mg/l	10700.00 mg/l	370.00		4
Ca	467.00 mg/l	440.00 mg/l	27.00		4
Mg	1575.00 mg/l	1370.00 mg/l	205.00		4
K	432.00 mg/l	400.00 mg/l	32.00		4
Br	68.00 mg/l	62.00 mg/l	6.00		4
B	3.41 mg/l	4.50 mg/l	-1.09		4
Sr	8.93 mg/l	8.00 mg/l	0.93		4
S	889.00 mg/l	900.00 mg/l	-11.00		4





AquaForest Top (15246Y)






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	250.00 µg/l	200.00 µg/l	50.00		4
Ni	0.00 µg/l	5.00 µg/l	-5.00		4
Mo	1.35 µg/l	12.00 µg/l	-10.65		4



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		4
Zn	0.00 µg/l	4.00 µg/l	-4.00		4
Mn	18.00 µg/l	2.00 µg/l	16.00		4
I	56.00 µg/l	60.00 µg/l	-4.00		4


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		4
Co	0.00 µg/l	0 µg/l	-0.10		4
Fe	10.00 µg/l	0 µg/l	9.90		4

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	1.84 µg/l	10.00 µg/l	-8.16		4
Be	0.00 µg/l	0 µg/l	-0.10		4

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	411.00 µg/l	100.00 µg/l	311.00		4

AquaForest Top (15246Y)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	0.00 µg/l	6.00 µg/l	-6.00	■	4
PO4	0.000 mg/l	0.018 mg/l	-0.018	■	4