

Brightwell TOP (152460)



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		4
Se	0.00 µg/l	0 µg/l	-0.10		4
Cd	0.00 µg/l	0 µg/l	-0.10		4
Sn	0.00 µg/l	0 µg/l	-0.10		4
Sb	0.00 µg/l	0 µg/l	-0.10		4
As	0.00 µg/l	0 µg/l	-0.10		4
Al	0.00 µg/l	2.00 µg/l	-2.00		4
Pb	0.00 µg/l	0 µg/l	-0.10		4
Ti	0.00 µg/l	0 µg/l	-0.10		4
Cu	0.00 µg/l	0 µg/l	-0.10		4
La	0.00 µg/l	0 µg/l	-0.10		4
Sc	0.00 µg/l	0 µg/l	-0.10		4
W	0.00 µg/l	0 µg/l	-0.10		4




Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	10713.00 mg/l	10700.00 mg/l	13.00		4
Ca	388.00 mg/l	440.00 mg/l	-52.00		4
Mg	1627.00 mg/l	1370.00 mg/l	257.00		4
K	468.00 mg/l	400.00 mg/l	68.00		4
Br	11.00 mg/l	62.00 mg/l	-51.00		4
B	5.08 mg/l	4.50 mg/l	0.58		4
Sr	12.00 mg/l	8.00 mg/l	4.00		4
S	1220.00 mg/l	900.00 mg/l	320.00		4





Brightwell TOP (152460)






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	272.00 µg/l	200.00 µg/l	72.00		4
Ni	3.54 µg/l	5.00 µg/l	-1.46		4
Mo	15.00 µg/l	12.00 µg/l	3.00		4



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		4
Zn	0.00 µg/l	4.00 µg/l	-4.00		4
Mn	307.00 µg/l	2.00 µg/l	305.00		4
I	55.00 µg/l	60.00 µg/l	-5.00		4


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		4
Co	0.00 µg/l	0 µg/l	-0.10		4
Fe	0.00 µg/l	0 µg/l	-0.10		4

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	51.00 µg/l	10.00 µg/l	41.00		4
Be	0.00 µg/l	0 µg/l	-0.10		4

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	1144.00 µg/l	100.00 µg/l	1044.00		4

Brightwell TOP (152460)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	0.00 µg/l	6.00 µg/l	-6.00	■	4
PO4	0.000 mg/l	0.018 mg/l	-0.018	■	4