

ESV B-Ionic BOT (15246G)



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		4
Se	0.00 µg/l	0 µg/l	-0.10		4
Cd	0.00 µg/l	0 µg/l	-0.10		4
Sn	0.00 µg/l	0 µg/l	-0.10		4
Sb	0.00 µg/l	0 µg/l	-0.10		4
As	0.00 µg/l	0 µg/l	-0.10		4
Al	0.00 µg/l	2.00 µg/l	-2.00		4
Pb	0.00 µg/l	0 µg/l	-0.10		4
Ti	0.00 µg/l	0 µg/l	-0.10		4
Cu	0.00 µg/l	0 µg/l	-0.10		4
La	0.00 µg/l	0 µg/l	-0.10		4
Sc	0.00 µg/l	0 µg/l	-0.10		4
W	0.00 µg/l	0 µg/l	-0.10		4




Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	9900.00 mg/l	10700.00 mg/l	-800.00		4
Ca	436.00 mg/l	440.00 mg/l	-4.00		4
Mg	1351.00 mg/l	1370.00 mg/l	-19.00		4
K	417.00 mg/l	400.00 mg/l	17.00		4
Br	64.00 mg/l	62.00 mg/l	2.00		4
B	3.65 mg/l	4.50 mg/l	-0.85		4
Sr	9.84 mg/l	8.00 mg/l	1.84		4
S	938.00 mg/l	900.00 mg/l	38.00		4





ESV B-Ionic BOT (15246G)






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	348.00 µg/l	200.00 µg/l	148.00		4
Ni	3.53 µg/l	5.00 µg/l	-1.47		4
Mo	9.87 µg/l	12.00 µg/l	-2.13		4



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		4
Zn	0.00 µg/l	4.00 µg/l	-4.00		4
Mn	19.00 µg/l	2.00 µg/l	17.00		4
I	31.00 µg/l	60.00 µg/l	-29.00		4


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	2.67 µg/l	0 µg/l	2.57		4
Co	0.00 µg/l	0 µg/l	-0.10		4
Fe	0.00 µg/l	0 µg/l	-0.10		4

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	29.00 µg/l	10.00 µg/l	19.00		4
Be	0.00 µg/l	0 µg/l	-0.10		4

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	629.00 µg/l	100.00 µg/l	529.00		4

ESV B-Ionic BOT (15246G)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	0.00 µg/l	6.00 µg/l	-6.00	■	4
PO4	0.000 mg/l	0.018 mg/l	-0.018	■	4