






















# Instant Ocean Purple TOP (15246U)



## Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		4
Se	0.00 µg/l	0 µg/l	-0.10		4
Cd	0.00 µg/l	0 µg/l	-0.10		4
Sn	0.00 µg/l	0 µg/l	-0.10		4
Sb	0.00 µg/l	0 µg/l	-0.10		4
As	0.00 µg/l	0 µg/l	-0.10		4
Al	0.00 µg/l	2.00 µg/l	-2.00		4
Pb	0.00 µg/l	0 µg/l	-0.10		4
Ti	0.00 µg/l	0 µg/l	-0.10		4
Cu	0.00 µg/l	0 µg/l	-0.10		4
La	0.00 µg/l	0 µg/l	-0.10		4
Sc	0.00 µg/l	0 µg/l	-0.10		4
W	0.00 µg/l	0 µg/l	-0.10		4




## Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	10446.00 mg/l	10700.00 mg/l	-254.00		4
Ca	431.00 mg/l	440.00 mg/l	-9.00		4
Mg	1580.00 mg/l	1370.00 mg/l	210.00		4
K	428.00 mg/l	400.00 mg/l	28.00		4
Br	95.00 mg/l	62.00 mg/l	33.00		4
B	3.90 mg/l	4.50 mg/l	-0.60		4
Sr	11.00 mg/l	8.00 mg/l	3.00		4
S	985.00 mg/l	900.00 mg/l	85.00		4





# Instant Ocean Purple TOP (15246U)






## Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	315.00 µg/l	200.00 µg/l	115.00		4
Ni	2.13 µg/l	5.00 µg/l	-2.87		4
Mo	1.74 µg/l	12.00 µg/l	-10.26		4



## I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		4
Zn	0.00 µg/l	4.00 µg/l	-4.00		4
Mn	44.00 µg/l	2.00 µg/l	42.00		4
I	327.00 µg/l	60.00 µg/l	267.00		4


## Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		4
Co	0.00 µg/l	0 µg/l	-0.10		4
Fe	0.00 µg/l	0 µg/l	-0.10		4

## Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	70.00 µg/l	10.00 µg/l	60.00		4
Be	0.00 µg/l	0 µg/l	-0.10		4

## Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	444.00 µg/l	100.00 µg/l	344.00		4

# Instant Ocean Purple TOP (15246U)



## Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	0.00 µg/l	6.00 µg/l	-6.00	■	4
PO4	0.000 mg/l	0.018 mg/l	-0.018	■	4