






















RS Coral Pro TOP (15246W)



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		4
Se	0.00 µg/l	0 µg/l	-0.10		4
Cd	0.00 µg/l	0 µg/l	-0.10		4
Sn	0.00 µg/l	0 µg/l	-0.10		4
Sb	0.00 µg/l	0 µg/l	-0.10		4
As	0.00 µg/l	0 µg/l	-0.10		4
Al	0.00 µg/l	2.00 µg/l	-2.00		4
Pb	0.00 µg/l	0 µg/l	-0.10		4
Ti	0.00 µg/l	0 µg/l	-0.10		4
Cu	0.00 µg/l	0 µg/l	-0.10		4
La	0.00 µg/l	0 µg/l	-0.10		4
Sc	0.00 µg/l	0 µg/l	-0.10		4
W	0.00 µg/l	0 µg/l	-0.10		4

Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	10782.00 mg/l	10700.00 mg/l	82.00		4
Ca	450.00 mg/l	440.00 mg/l	10.00		4
Mg	1442.00 mg/l	1370.00 mg/l	72.00		4
K	431.00 mg/l	400.00 mg/l	31.00		4
Br	59.00 mg/l	62.00 mg/l	-3.00		4
B	3.64 mg/l	4.50 mg/l	-0.86		4
Sr	9.90 mg/l	8.00 mg/l	1.90		4
S	934.00 mg/l	900.00 mg/l	34.00		4

RS Coral Pro TOP (15246W)



Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	197.00 µg/l	200.00 µg/l	-3.00		4
Ni	5.13 µg/l	5.00 µg/l	0.13		4
Mo	7.80 µg/l	12.00 µg/l	-4.20		4

I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		4
Zn	0.63 µg/l	4.00 µg/l	-3.37		4
Mn	117.00 µg/l	2.00 µg/l	115.00		4
I	55.00 µg/l	60.00 µg/l	-5.00		4

Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.66 µg/l	0 µg/l	0.56		4
Co	0.00 µg/l	0 µg/l	-0.10		4
Fe	0.00 µg/l	0 µg/l	-0.10		4

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	137.00 µg/l	10.00 µg/l	127.00		4
Be	0.00 µg/l	0 µg/l	-0.10		4

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	532.00 µg/l	100.00 µg/l	432.00		4

RS Coral Pro TOP (15246W)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	0.00 µg/l	6.00 µg/l	-6.00	■	4
PO4	0.000 mg/l	0.018 mg/l	-0.018	■	4