



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		4
Se	0.00 µg/l	0 µg/l	-0.10		4
Cd	0.00 µg/l	0 µg/l	-0.10		4
Sn	0.00 µg/l	0 µg/l	-0.10		4
Sb	0.00 µg/l	0 µg/l	-0.10		4
As	0.00 µg/l	0 µg/l	-0.10		4
Al	0.00 µg/l	2.00 µg/l	-2.00		4
Pb	0.00 µg/l	0 µg/l	-0.10		4
Ti	0.00 µg/l	0 µg/l	-0.10		4
Cu	0.00 µg/l	0 µg/l	-0.10		4
La	0.00 µg/l	0 µg/l	-0.10		4
Sc	0.00 µg/l	0 µg/l	-0.10		4
W	0.00 µg/l	0 µg/l	-0.10		4




Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	11106.00 mg/l	10700.00 mg/l	406.00		4
Ca	424.00 mg/l	440.00 mg/l	-16.00		4
Mg	1399.00 mg/l	1370.00 mg/l	29.00		4
K	415.00 mg/l	400.00 mg/l	15.00		4
Br	38.00 mg/l	62.00 mg/l	-24.00		4
B	4.15 mg/l	4.50 mg/l	-0.35		4
Sr	8.45 mg/l	8.00 mg/l	0.45		4
S	1036.00 mg/l	900.00 mg/l	136.00		4





TLF BOT (15246F)






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	55.00 µg/l	200.00 µg/l	-145.00		4
Ni	1.46 µg/l	5.00 µg/l	-3.54		4
Mo	17.00 µg/l	12.00 µg/l	5.00		4



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		4
Zn	5.08 µg/l	4.00 µg/l	1.08		4
Mn	205.00 µg/l	2.00 µg/l	203.00		4
I	119.00 µg/l	60.00 µg/l	59.00		4


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		4
Co	0.00 µg/l	0 µg/l	-0.10		4
Fe	0.00 µg/l	0 µg/l	-0.10		4

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	15.00 µg/l	10.00 µg/l	5.00		4
Be	0.00 µg/l	0 µg/l	-0.10		4

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	416.00 µg/l	100.00 µg/l	316.00		4

TLF BOT (15246F)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	0.00 µg/l	6.00 µg/l	-6.00	■	4
PO4	0.000 mg/l	0.018 mg/l	-0.018	■	4