



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		4
Se	0.00 µg/l	0 µg/l	-0.10		4
Cd	0.00 µg/l	0 µg/l	-0.10		4
Sn	0.00 µg/l	0 µg/l	-0.10		4
Sb	0.00 µg/l	0 µg/l	-0.10		4
As	0.00 µg/l	0 µg/l	-0.10		4
Al	0.00 µg/l	2.00 µg/l	-2.00		4
Pb	0.00 µg/l	0 µg/l	-0.10		4
Ti	0.00 µg/l	0 µg/l	-0.10		4
Cu	3.85 µg/l	0 µg/l	3.75		4
La	0.00 µg/l	0 µg/l	-0.10		4
Sc	0.00 µg/l	0 µg/l	-0.10		4
W	0.00 µg/l	0 µg/l	-0.10		4

Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	10919.00 mg/l	10700.00 mg/l	219.00		4
Ca	449.00 mg/l	440.00 mg/l	9.00		4
Mg	1504.00 mg/l	1370.00 mg/l	134.00		4
K	413.00 mg/l	400.00 mg/l	13.00		4
Br	40.00 mg/l	62.00 mg/l	-22.00		4
B	4.51 mg/l	4.50 mg/l	0.01		4
Sr	8.63 mg/l	8.00 mg/l	0.63		4
S	1107.00 mg/l	900.00 mg/l	207.00		4

TLF TOP (15246E)



Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	56.00 µg/l	200.00 µg/l	-144.00		4
Ni	1.77 µg/l	5.00 µg/l	-3.23		4
Mo	17.00 µg/l	12.00 µg/l	5.00		4

I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		4
Zn	10.00 µg/l	4.00 µg/l	6.00		4
Mn	231.00 µg/l	2.00 µg/l	229.00		4
I	106.00 µg/l	60.00 µg/l	46.00		4

Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		4
Co	0.00 µg/l	0 µg/l	-0.10		4
Fe	0.00 µg/l	0 µg/l	-0.10		4

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	16.00 µg/l	10.00 µg/l	6.00		4
Be	0.00 µg/l	0 µg/l	-0.10		4

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	303.00 µg/l	100.00 µg/l	203.00		4

TLF TOP (15246E)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	0.00 µg/l	6.00 µg/l	-6.00	■	4
PO4	0.000 mg/l	0.018 mg/l	-0.018	■	4