






















# Tropic Marin Classic TOP (15246M)



## Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		4
Se	0.00 µg/l	0 µg/l	-0.10		4
Cd	0.00 µg/l	0 µg/l	-0.10		4
Sn	0.00 µg/l	0 µg/l	-0.10		4
Sb	0.00 µg/l	0 µg/l	-0.10		4
As	0.00 µg/l	0 µg/l	-0.10		4
Al	0.00 µg/l	2.00 µg/l	-2.00		4
Pb	0.00 µg/l	0 µg/l	-0.10		4
Ti	0.00 µg/l	0 µg/l	-0.10		4
Cu	0.00 µg/l	0 µg/l	-0.10		4
La	0.00 µg/l	0 µg/l	-0.10		4
Sc	0.00 µg/l	0 µg/l	-0.10		4
W	0.00 µg/l	0 µg/l	-0.10		4




## Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	11090.00 mg/l	10700.00 mg/l	390.00		4
Ca	418.00 mg/l	440.00 mg/l	-22.00		4
Mg	1327.00 mg/l	1370.00 mg/l	-43.00		4
K	421.00 mg/l	400.00 mg/l	21.00		4
Br	70.00 mg/l	62.00 mg/l	8.00		4
B	3.49 mg/l	4.50 mg/l	-1.01		4
Sr	8.14 mg/l	8.00 mg/l	0.14		4
S	905.00 mg/l	900.00 mg/l	5.00		4





# Tropic Marin Classic TOP (15246M)






## Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	188.00 µg/l	200.00 µg/l	-12.00		4
Ni	3.29 µg/l	5.00 µg/l	-1.71		4
Mo	4.58 µg/l	12.00 µg/l	-7.42		4



## I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		4
Zn	0.27 µg/l	4.00 µg/l	-3.73		4
Mn	220.00 µg/l	2.00 µg/l	218.00		4
I	44.00 µg/l	60.00 µg/l	-16.00		4


## Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		4
Co	0.00 µg/l	0 µg/l	-0.10		4
Fe	26.00 µg/l	0 µg/l	25.90		4

## Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	18.00 µg/l	10.00 µg/l	8.00		4
Be	0.00 µg/l	0 µg/l	-0.10		4

## Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	1461.00 µg/l	100.00 µg/l	1361.00		4

# Tropic Marin Classic TOP (15246M)



## Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	0.00 µg/l	6.00 µg/l	-6.00	■	4
PO4	0.000 mg/l	0.018 mg/l	-0.018	■	4